

References

1. Virág D, Dalmadi-Kiss B, Vékey K, et al. Current trends in the analysis of post-translational modifications. *Chromatographia*. 2020;83(1):1-10.
<https://search.proquest.com/docview/2332364182>. doi: 10.1007/s10337-019-03796-9.
2. Melchior F, Geiss-Friedlander R. Concepts in sumoylation: A decade on. *Nature Reviews Molecular Cell Biology*. 2007;8(12):947-956. <http://dx.doi.org/10.1038/nrm2293>. doi: 10.1038/nrm2293.
3. Richard S. Morrison, Yoshito Kinoshita, Mark D. Johnson, et al. Proteomic analysis in the neurosciences. *Molecular & Cellular Proteomics*. 2002;1(8):553-560.
<http://www.mcponline.org/content/1/8/553.abstract>. doi: 10.1074/mcp.R200004-MCP200.
4. Walsh CT, Garneau-Tsodikova S, Gatto GJJ. Protein posttranslational modifications: The chemistry of proteome diversifications. *ChemInform*. 2006;37(7):no.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/chin.200607297>. doi: 10.1002/chin.200607297.
5. Tony Hunter, Bartholomew M. Sefton. Transforming gene product of rous sarcoma virus phosphorylates tyrosine. *Proceedings of the National Academy of Sciences of the United States of America*. 1980;77(3):1311-1315. <https://www.jstor.org/stable/8446>. doi: 10.1073/pnas.77.3.1311.

6. Zhang H, Liu T, Zhang Z, et al. Integrated proteogenomic characterization of human high-grade serous ovarian cancer. *Cell*. 2016;166(3):755-765.

<http://dx.doi.org/10.1016/j.cell.2016.05.069>. doi: 10.1016/j.cell.2016.05.069.

7. Mertins P, Mani DR, Ruggles KV, et al. Proteogenomics connects somatic mutations to signalling in breast cancer. *Nature (London)*. 2016;534(7605):55-62.

<https://www.ncbi.nlm.nih.gov/pubmed/27251275>. doi: 10.1038/nature18003.

8. Mertins P, Tang LC, Krug K, et al. Reproducible workflow for multiplexed deep-scale proteome and phosphoproteome analysis of tumor tissues by liquid chromatography-mass spectrometry. *Nature protocols*. 2018;13(7):1632-1661.

<https://www.ncbi.nlm.nih.gov/pubmed/29988108>. doi: 10.1038/s41596-018-0006-9.

9. Vasaikar S, Huang C, Wang X, et al. Proteogenomic analysis of human colon cancer reveals new therapeutic opportunities. *Cell*. 2019;177(4):1035-1049.e19.

<http://dx.doi.org/10.1016/j.cell.2019.03.030>. doi: 10.1016/j.cell.2019.03.030.

10. Clark DJ, Dhanasekaran SM, Petralia F, et al. Integrated proteogenomic characterization of clear cell renal cell carcinoma. *Cell*. 2020;180(1):207.

<http://dx.doi.org/10.1016/j.cell.2019.12.026>. doi: 10.1016/j.cell.2019.12.026.

11. Dou Y, Kawaler EA, Cui Zhou D, et al. Proteogenomic characterization of endometrial carcinoma. *Cell*. 2020;180(4):729-748.e26. <http://dx.doi.org/10.1016/j.cell.2020.01.026>. doi:

10.1016/j.cell.2020.01.026.

12. Gill DJ, Clausen H, Bard F. Location, location, location: New insights into O -GalNAc protein glycosylation. *Trends in Cell Biology*. 2010;21(3):149-158.
<https://www.clinicalkey.es/playcontent/1-s2.0-S0962892410002606>. doi:
10.1016/j.tcb.2010.11.004.
13. Barchi JJ. Mucin-Type glycopeptide structure in solution: Past, present, and future.
Biopolymers. 2013;99(10):713-723.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/bip.22313>. doi: 10.1002/bip.22313.
14. Everest-Dass AV, Moh ESX, Ashwood C, Shathili AMM, Packer NH. Human disease glycomics: Technology advances enabling protein glycosylation analysis - part 1. *Expert Review of Proteomics*. 2018;15(2):165-182.
<http://www.tandfonline.com/doi/abs/10.1080/14789450.2018.1421946>. doi:
10.1080/14789450.2018.1421946.
15. Zhang Y, Fonslow BR, Shan B, Baek M, Yates JR. Protein analysis by shotgun/bottom-up proteomics. *Chemical Reviews*. 2013;113(4):2343-2394. <http://dx.doi.org/10.1021/cr3003533>.
doi: 10.1021/cr3003533.
16. Varki A. *Essentials of glycobiology*. Third edition ed. Cold Spring Harbor, New York: Cold Spring Harbor Laboratory Press; 2017.
17. Sun S, Hu Y, Jia L, et al. Site-specific profiling of serum glycoproteins using N-linked glycan and glycosite analysis revealing atypical N-glycosylation sites on albumin and α -1B-glycoprotein.

Analytical Chemistry. 2018;90(10):6292-6299.

<http://dx.doi.org/10.1021/acs.analchem.8b01051>. doi: 10.1021/acs.analchem.8b01051.

18. Comelli EM, Amado M, Head SR, Paulson JC. Custom microarray for glycobiochemists: Considerations for glycosyltransferase gene expression profiling. *Biochemical Society Symposia*. 2002;69(69):135-142. <https://www.ncbi.nlm.nih.gov/pubmed/12655780>. doi: 10.1042/bss0690135.

19. Sheng-Ce Tao, Chien-Sheng Chen, Heng Zhu. Applications of protein microarray technology. *Combinatorial Chemistry & High Throughput Screening*. 2007;10(8):706-718. <http://www.eurkaselect.com/openurl/content.php?genre=article&issn=13862073&volume=10&issue=8&spage=706>. doi: 10.2174/138620707782507386.

20. Fukui S, Feizi T, Galustian C, Lawson AM, Chai W. Oligosaccharide microarrays for high-throughput detection and specificity assignments of carbohydrate-protein interactions. *Nature biotechnology*. 2002;20(10):1011-1017. <https://search.datacite.org/works/10.1038/nbt735>. doi: 10.1038/nbt735.

21. Houseman BT, Mrksich M. Carbohydrate arrays for the evaluation of protein binding and enzymatic modification. *Chemistry & Biology*. 2002;9(4):443-454. [http://dx.doi.org/10.1016/S1074-5521\(02\)00124-2](http://dx.doi.org/10.1016/S1074-5521(02)00124-2). doi: 10.1016/S1074-5521(02)00124-2.

22. Willats WGT, Rasmussen SE, Kristensen T, Mikkelsen JD, Knox JP. Sugar-coated microarrays: A novel slide surface for the high-throughput analysis of glycans. *PROTEOMICS*.

2002;2(12):1666-1671. [https://onlinelibrary.wiley.com/doi/abs/10.1002/1615-9861\(200212\)2:123.0.CO;2-E](https://onlinelibrary.wiley.com/doi/abs/10.1002/1615-9861(200212)2:123.0.CO;2-E). doi: 10.1002/1615-9861(200212)2:123.0.CO;2-E.

23. Ola Blixt, Steve Head, Tony Mondala, et al. Printed covalent glycan array for ligand profiling of diverse glycan binding proteins. *Proceedings of the National Academy of Sciences of the United States of America*. 2004;101(49):17033-17038.

<https://search.datacite.org/works/10.1073/pnas.0407902101>. doi: 10.1073/pnas.0407902101.

24. Angeloni S. Glycoprofiling with micro-arrays of glycoconjugates and lectins. *Glycobiology (Oxford)*. 2004;15(1):31-41. <https://search.datacite.org/works/10.1093/glycob/cwh143>. doi: 10.1093/glycob/cwh143.

25. Pilobello KT, Krishnamoorthy L, Slawek D, Mahal LK. Development of a lectin microarray for the rapid analysis of protein glycopatterns. *Chembiochem : a European journal of chemical biology*. 2005;6(6):985-989. <https://search.datacite.org/works/10.1002/cbic.200400403>. doi: 10.1002/cbic.200400403.

26. Haab BB, Dunham MJ, Brown PO. Protein microarrays for highly parallel detection and quantitation of specific proteins and antibodies in complex solutions. *Genome biology*. 2001;2(2):RESEARCH0004-research0004.13. <https://www.ncbi.nlm.nih.gov/pubmed/11182887>.

27. Cao L, Qu Y, Zhang Z, Wang Z, Prytkova I, Wu S. Intact glycopeptide characterization using mass spectrometry. *Expert Review of Proteomics*. 2016;13(5):513-522.

<http://www.tandfonline.com/doi/abs/10.1586/14789450.2016.1172965>. doi:

10.1586/14789450.2016.1172965.

28. Wang Q, Yang G, Wang T, Yang W, Betenbaugh MJ, Zhang H. Characterization of intact glycopeptides reveals the impact of culture media on site-specific glycosylation of EPO-Fc fusion protein generated by CHO-GS cells. *Biotechnology and Bioengineering*. 2019;116(9):2303-2315. <https://onlinelibrary.wiley.com/doi/abs/10.1002/bit.27009>. doi: 10.1002/bit.27009.
29. Zhang H, Li X, Martin DB, Aebersold R. Identification and quantification of N-linked glycoproteins using hydrazide chemistry, stable isotope labeling and mass spectrometry. *Nature biotechnology*. 2003;21(6):660-666. <https://search.datacite.org/works/10.1038/nbt827>. doi: 10.1038/nbt827.
30. Halim A, Rüetschi U, Brinkmalm G, et al. Enrichment of glycopeptides for glycan structure and attachment site identification. *Nature Methods*. 2009;6(11):809-811. <http://dx.doi.org/10.1038/nmeth.1392>. doi: 10.1038/nmeth.1392.
31. Woo CM, Felix A, Byrd WE, et al. Development of IsoTaG, a chemical glycoproteomics technique for profiling intact N- and O-Glycopeptides from whole cell proteomes. *Journal of Proteome Research*. 2017;16(4):1706-1718. <http://dx.doi.org/10.1021/acs.jproteome.6b01053>. doi: 10.1021/acs.jproteome.6b01053.
32. Woo CM, Iavarone AT, Spiciarich DR, Palaniappan KK, Bertozzi CR. Isotope-targeted glycoproteomics (IsoTaG): A mass-independent platform for intact N- and O-glycopeptide discovery and analysis. *Nature methods*. 2015;12(6):561-567. <https://www.ncbi.nlm.nih.gov/pubmed/25894945>. doi: 10.1038/nmeth.3366.

33. Swaney DL, Clark PM, Khidekel N, et al. Probing the dynamics of O -GlcNAc glycosylation in the brain using quantitative proteomics. *Nature Chemical Biology*. 2007;3(6):339-348.

<http://dx.doi.org/10.1038/nchembio881>. doi: 10.1038/nchembio881.

34. Keith Vosseller, Jonathan C. Trinidad, Robert J. Chalkley, et al. O-linked N-acetylglucosamine proteomics of postsynaptic density preparations using lectin weak affinity chromatography and mass spectrometry. *Molecular & Cellular Proteomics*. 2006;5(5):923.

<http://www.mcponline.org/content/5/5/923.abstract>. doi: 10.1074/mcp.T500040-MCP200.

35. Zielinska DF, Gnad F, Wiśniewski JR, Mann M. Precision mapping of an in vivo N-glycoproteome reveals rigid topological and sequence constraints. *Cell*. 2010;141(5):897-907.

<http://dx.doi.org/10.1016/j.cell.2010.04.012>. doi: 10.1016/j.cell.2010.04.012.

36. Trinidad JC, Schoepfer R, Burlingame AL, Medzihradszky KF. N- and O-glycosylation in the murine synaptosome. *Molecular & cellular proteomics : MCP*. 2013;12(12):3474-3488.

<https://www.ncbi.nlm.nih.gov/pubmed/23816992>. doi: 10.1074/mcp.M113.030007.

37. Hägglund P, Bunkenborg J, Elortza F, Jensen ON, Roepstorff P. A new strategy for identification of N-glycosylated proteins and unambiguous assignment of their glycosylation sites using HILIC enrichment and partial deglycosylation. *Journal of Proteome Research*.

2004;3(3):556-566. <http://dx.doi.org/10.1021/pr034112b>. doi: 10.1021/pr034112b.

38. Yang W, Shah P, Hu Y, et al. Comparison of enrichment methods for intact N- and O-Linked glycopeptides using strong anion exchange and hydrophilic interaction liquid chromatography.

Analytical Chemistry. 2017;89(21):11193-11197.

<http://dx.doi.org/10.1021/acs.analchem.7b03641>. doi: 10.1021/acs.analchem.7b03641.

39. Zacharias LG, Hartmann AK, Song E, et al. HILIC and ERLIC enrichment of glycopeptides derived from breast and brain cancer cells. *Journal of Proteome Research*. 2016;15(10):3624-3634. <http://dx.doi.org/10.1021/acs.jproteome.6b00429>. doi: 10.1021/acs.jproteome.6b00429.

40. Steentoft C, Vakhrushev SY, Vester-Christensen MB, et al. Mining the O-glycoproteome using zinc-finger nuclease–glycoengineered SimpleCell lines. *Nature methods*. 2011;8(11):977-982. <https://www.ncbi.nlm.nih.gov/pubmed/21983924>. doi: 10.1038/nmeth.1731.

41. Steentoft C, Vakhrushev SY, Joshi HJ, et al. Precision mapping of the human O-GalNAc glycoproteome through SimpleCell technology. *The EMBO Journal*. 2013;32(10):1478-1488. <https://onlinelibrary.wiley.com/doi/abs/10.1038/emboj.2013.79>. doi: 10.1038/emboj.2013.79.

42. Yang W, Ao M, Hu Y, Li QK, Zhang H. Mapping the o-glycoproteome using site-specific extraction of o-linked glycopeptides (EXoO). *Molecular Systems Biology*. 2018;14(11):e8486-n/a. <https://onlinelibrary.wiley.com/doi/abs/10.15252/msb.20188486>. doi: 10.15252/msb.20188486.

43. Sun S, Hu Y, Ao M, et al. N-GlycositeAtlas: A database resource for mass spectrometry-based human N-linked glycoprotein and glycosylation site mapping. *Clinical proteomics*. 2019;16(1):35. <https://www.ncbi.nlm.nih.gov/pubmed/31516400>. doi: 10.1186/s12014-019-9254-0.

44. Xu Y, Yang W, Zhang H. *Mapping of O-glycopeptides using EXoO and a novel data search workflow*. Johns Hopkins University; 2020.
45. Eng JK, McCormack AL, Yates JR. An approach to correlate tandem mass spectral data of peptides with amino acid sequences in a protein database. *J Am Soc Mass Spectrom*. 1994;5(11):976-989. [http://dx.doi.org/10.1016/1044-0305\(94\)80016-2](http://dx.doi.org/10.1016/1044-0305(94)80016-2). doi: 10.1016/1044-0305(94)80016-2.
46. Chi H, Liu C, Yang H, et al. Comprehensive identification of peptides in tandem mass spectra using an efficient open search engine. *Nature biotechnology*. 2018;36(11):1059-1061. <https://www.ncbi.nlm.nih.gov/pubmed/30295672>. doi: 10.1038/nbt.4236.
47. Irungu J, Go EP, Dalpathado DS, Desaire H. Simplification of mass spectral analysis of acidic glycopeptides using GlycoPep ID. *Analytical Chemistry*. 2007;79(8):3065-3074. <http://dx.doi.org/10.1021/ac062100e>. doi: 10.1021/ac062100e.
48. Go EP, Rebecchi KR, Dalpathado DS, Bandu ML, Zhang Y, Desaire H. GlycoPep DB: A tool for glycopeptide analysis using a "Smart search". *Analytical Chemistry*. 2007;79(4):1708-1713. <http://dx.doi.org/10.1021/ac061548c>. doi: 10.1021/ac061548c.
49. Cooper CA, Gasteiger E, Packer NH. GlycoMod – A software tool for determining glycosylation compositions from mass spectrometric data. *PROTEOMICS*. 2001;1(2):340-349. [https://onlinelibrary.wiley.com/doi/abs/10.1002/1615-9861\(200102\)1:23.0.CO;2-B](https://onlinelibrary.wiley.com/doi/abs/10.1002/1615-9861(200102)1:23.0.CO;2-B). doi: 10.1002/1615-9861(200102)1:23.0.CO;2-B.

50. MacLean B, Tomazela DM, Shulman N, et al. Skyline: An open source document editor for creating and analyzing targeted proteomics experiments. *Bioinformatics (Oxford, England)*.

2010;26(7):966-968. <https://www.ncbi.nlm.nih.gov/pubmed/20147306>. doi:

10.1093/bioinformatics/btq054.

51. Tyanova S, Temu T, Cox J. The MaxQuant computational platform for mass spectrometry-based shotgun proteomics. *Nature protocols*. 2016;11(12):2301-2319.

<https://www.ncbi.nlm.nih.gov/pubmed/27809316>. doi: 10.1038/nprot.2016.136.

52. Ceroni A, Maass K, Geyer H, Geyer R, Dell A, Haslam SM. GlycoWorkbench: A tool for the computer-assisted annotation of mass spectra of glycans. *Journal of Proteome Research*.

2008;7(4):1650-1659. <http://dx.doi.org/10.1021/pr7008252>. doi: 10.1021/pr7008252.

53. Meitei NS, Apte A, Snovida SI, Rogers JC, Saba J. Automating mass spectrometry-based quantitative glycomics using aminoxy tandem mass tag reagents with SimGlycan. *Journal of Proteomics*.

2015;127:211-222. <http://dx.doi.org/10.1016/j.jprot.2015.05.015>. doi:

10.1016/j.jprot.2015.05.015.

54. Goldberg D, Sutton-Smith M, Paulson J, Dell A. Automatic annotation of matrix-assisted laser desorption/ionization n-glycan spectra. *PROTEOMICS*. 2005;5(4):865-875.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/pmic.200401071>. doi:

10.1002/pmic.200401071.

55. Yu C, Mayampurath A, Hu Y, Zhou S, Mechref Y, Tang H. Automated annotation and quantification of glycans using liquid chromatography–mass spectrometry. *Bioinformatics*

(Oxford, England). 2013;29(13):1706-1707. <https://www.ncbi.nlm.nih.gov/pubmed/23610369>.

doi: 10.1093/bioinformatics/btt190.

56. Hayes CA, Karlsson NG, Struwe WB, et al. UniCarb-DB: A database resource for glycomic discovery. *Bioinformatics (Oxford, England)*. 2011;27(9):1343-1344.

<https://www.ncbi.nlm.nih.gov/pubmed/21398669>. doi: 10.1093/bioinformatics/btr137.

57. Campbell MP, Nguyen-Khuong T, Hayes CA, et al. Validation of the curation pipeline of UniCarb-DB: Building a global glycan reference MS/MS repository. *Biochimica et biophysica acta*. 2014;1844(1 Pt A):108. <https://www.ncbi.nlm.nih.gov/pubmed/23624262>.

58. Bern M, Kil YJ, Becker C. Byonic: Advanced peptide and protein identification software. *Current Protocols in Bioinformatics*. 2012;40(1):13.20.1-13.20.14.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/0471250953.bi1320s40>. doi:

10.1002/0471250953.bi1320s40.

59. Toghi Eshghi S, Shah P, Yang W, Li X, Zhang H. GPQuest: A spectral library matching algorithm for site-specific assignment of tandem mass spectra to intact n-glycopeptides. *Analytical Chemistry*. 1900;87(10):5181-5188.

<http://dx.doi.org/10.1021/acs.analchem.5b00024>. doi: 10.1021/acs.analchem.5b00024.

60. Zeng W, Liu M, Zhang Y, et al. pGlyco: A pipeline for the identification of intact N-glycopeptides by using HCD- and CID-MS/MS and MS3. *Scientific reports*. 2016;6(1):25102.

<https://www.ncbi.nlm.nih.gov/pubmed/27139140>. doi: 10.1038/srep25102.

61. Liu M, Zeng W, Fang P, et al. pGlyco 2.0 enables precision N-glycoproteomics with comprehensive quality control and one-step mass spectrometry for intact glycopeptide identification. *Nature communications*. 2017;8(1):438-14.

<https://www.ncbi.nlm.nih.gov/pubmed/28874712>. doi: 10.1038/s41467-017-00535-2.